

Species (Latin name)	Species (Common name)	ICES fishing zone	TACs 2008 final*	Difference with TACs 2008	Commission proposals for TACs 2009
<i>Ammodytes</i>	Sandeel	Ila (EC), North Sea (EC)	NE		pm
<i>Ammodytes</i>	Sandeel	IV (Norwegian waters)	NR		pm
<i>Argentina silus</i>	Greater silver smelt	I, II EC + int. w.	116	0,0%	116
<i>Argentina silus</i>	Greater silver smelt	III,IV EC + int. w.	1331	0,0%	1331
<i>Argentina silus</i>	Greater silver smelt	V,VI,VII EC + int. w.	5311	0,0%	5311
<i>Brosme brosme</i>	Tusk	I,II,XIV	23	-7,6%	21
<i>Brosme brosme</i>	Tusk	III	28	-14,3%	24
<i>Brosme brosme</i>	Tusk	IV	231	-15,2%	196
<i>Brosme brosme</i>	Tusk	IV(Norwegian waters)	NR		pm
<i>Brosme brosme</i>	Tusk	V,VI,VII	435		pm
<i>Clupea</i>	Herring	Ila(EC), IV and VIId(by-catch)	18806		pm
<i>Clupea</i>	Herring	IIIa, Directed fishery	51673		pm
<i>Clupea</i>	Herring	IVc, VIId	201227		pm
<i>Clupea</i>	Herring	North Sea IV ab	201227		pm
<i>Clupea</i>	Herring	Norwegian waters S of 62	NR		pm
<i>Clupea</i>	Herring	Skagerrak and Kattegat, by-catches	11470		pm
<i>Clupea</i>	Herring	Vb(EC) VIa(N), VIb	27200	-52,2%	13000
<i>Clupea</i>	Herring	VIa Clyde	800	-15,0%	680
<i>Clupea</i>	Herring	VIa(S), VIIbc	11642	-25,0%	8732
<i>Clupea</i>	Herring	VIIa	4800	-8,3%	4400
<i>Clupea</i>	Herring	VIIef	1000	0,0%	1000
<i>Clupea</i>	Herring	VIIghjk	7890	-25,0%	5918
<i>Engraulis</i>	Anchovy	IX,X,CECAF 34.1.1.	8000	-15,0%	6800
<i>Engraulis</i>	Anchovy	VIII	0	0,0%	0
<i>Gadus morhua</i>	Cod	Ila (EC), North Sea (EC)	22152		pm
<i>Gadus morhua</i>	Cod	Kattegat	673	-25,0%	505
<i>Gadus morhua</i>	Cod	Norwegian waters S of 62	NR		pm
<i>Gadus morhua</i>	Cod	Skagerrak	3165		pm
<i>Gadus morhua</i>	Cod	Vb(EC) VI,XII,XIV	402	-25,0%	302
<i>Gadus morhua</i>	Cod	VIa, Vb	402	-24,9%	302
<i>Gadus morhua</i>	Cod	VIb (Rockall subunit)	0		62
<i>Gadus morhua</i>	Cod	VIIa	1199	-25,0%	899
<i>Gadus morhua</i>	Cod	VIIb,c,e-k, VIII,IX,X,CECAF 34.1.1 (EC)	4316	25,2%	5404
<i>Gadus morhua</i>	Cod	VIId	na		pm
<i>Lamna nasus</i>	Porbeagle	I to XIV	581	-100,0%	0
<i>Lepidorhombus</i>	Megrim	Ila (EC), North Sea (EC)	1597	-15,0%	1357
<i>Lepidorhombus</i>	Megrim	Vb(EC), VI, XII, XIV	2592	-15,0%	2203
<i>Lepidorhombus</i>	Megrim	VII	18300	-15,0%	15555
<i>Lepidorhombus</i>	Megrim	VIIIabde	2125	-15,0%	1806
<i>Lepidorhombus</i>	Megrim	VIIIc,IX, CECAF34.1.1(EC)	1440	-0,7%	1430
<i>Limanda</i>	Dab and flounder	Ila (EC), North Sea (EC)	18810	-10,0%	16929
<i>Lophius</i>	Anglerfish	Ila (EC), North Sea (EC)	11345	0,0%	11345
<i>Lophius</i>	Anglerfish	IV(Norwegian waters)	NR		pm
<i>Lophius</i>	Anglerfish	Vb(EC), VI, XII, XIV	5155	0,0%	5155
<i>Lophius</i>	Anglerfish	VII	28080	-8,3%	25740
<i>Lophius</i>	Anglerfish	VIIIabde	7920	-8,3%	7260
<i>Lophius</i>	Anglerfish	VIIIc,IXa,X,CECAF 34.1.1	1955	-25,0%	1466
<i>Melanogrammus</i>	Haddock	Ila (EC), North Sea (EC)	46444		pm
<i>Melanogrammus</i>	Haddock	IV(Norwegian waters S of 62°N)	NR		NR
<i>Melanogrammus</i>	Haddock	Skagerrak, Kattegat, IIIbcd (EC)	2856		pm
<i>Melanogrammus</i>	Haddock	Vb,VIa	6120	-25,0%	4590
<i>Melanogrammus</i>	Haddock	VIb, XII, XIV	6916	-15,0%	5879
<i>Melanogrammus</i>	Haddock	VII, VIII, IX, X, CECAF 34.1.1 (EC)	11579	-24,0%	8790
<i>Melanogrammus</i>	Haddock	VIIa	1238	15,0%	1424
<i>Merlangius</i>	Whiting	Ila (EC), North Sea (EC)	17850		pm
<i>Merlangius</i>	Whiting	IIIa	1050		pm
<i>Merlangius</i>	Whiting	IX,X,CECAF 34.1.1.(EC)	653	-15,0%	555
<i>Merlangius</i>	Whiting	Vb(EC waters), VI, XII, XIV	765	-25,0%	574
<i>Merlangius</i>	Whiting	VIIa	278	-24,8%	209
<i>Merlangius</i>	Whiting	VIIb-k	19940	-15,0%	16949
<i>Merlangius</i>	Whiting	VIII	3600	-15,0%	3060
<i>Merlangius</i>	Whiting and Pollack	IV(Norwegian waters S of 62°N)	NR		pm
<i>Merluccius</i>	Hake	overall northern TAC	54000	-5,0%	51500
<i>Merluccius</i>	Hake	VIIIc, IX, X, CECAF 34.1.1 (EC)	7047	15,0%	8104
<i>Micromesistius</i>	Blue whiting	I to VII, VIIIabde, XII, XIV (EC and International waters)	1266282		pm
<i>Micromesistius</i>	Blue whiting	II,IVa, VI,VIb and VII west of 12 deg W	1266282		pm
<i>Micromesistius</i>	Blue whiting	IV(Norwegian waters)	1266282		pm

Species (Latin name)	Species (Common name)	ICES fishing zone	TACs 2008 final*	Difference with TACs 2008	Commission proposals for TACs 2009
<i>Micromesistius</i>	Blue whiting	VIIIc IX, X, CECAF 34.1.1 (EC Waters)	1266282		pm
<i>Microstomus kitt</i> and <i>Glyptocephalus cynoglossus</i>	Lemon sole and witch	Ila (EC), North Sea (EC)	6793	-10,0%	6114
<i>Molva dypterygia</i>	Blue ling	EC and int waters of VI, VII			pm
<i>Molva molva</i>	Ling	I, II (EC)	45	-15,6%	38
<i>Molva molva</i>	Ling	Ila, IV, Vb, VI, VII(EC)	NR		NR
<i>Molva molva</i>	Ling	III(EC)	100	-15,0%	85
<i>Molva molva</i>	Ling	IV(EC)	2856	-15,0%	2428
<i>Molva molva</i>	Ling	IV(Norwegian waters)	NR		NR
<i>Molva molva</i>	Ling	V(EC+intl.)	34	0,0%	34
<i>Molva molva</i>	Ling	VI,VII,VIII,IX,X,XII,XIV (EC and int.w.)	10776		pm
<i>Nephrops</i>	Norway lobster	Ila (EC), North Sea (EC)	26144	-9,7%	23609
<i>Nephrops</i>	Norway lobster	IV(Norwegian waters)	NR		pm
<i>Nephrops</i>	Norway lobster	IX,X, CECAF 34.1.1 (EC waters)	415	-9,9%	374
<i>Nephrops</i>	Norway lobster	Skagerrak, Kattegat (EC), IIIbcd (EC)	5170	0,0%	5170
<i>Nephrops</i>	Norway lobster	Vb(EC), VI	19885	-15,0%	16902
<i>Nephrops</i>	Norway lobster	VII	25153	-15,0%	21380
<i>Nephrops</i>	Norway lobster	VIIIabde	4320	-15,0%	3672
<i>Nephrops</i>	Norway lobster	VIIIc	124	-9,7%	112
<i>Pandalus</i>	Northern Prawn	Ila (EC), North Sea (EC)	3984		pm
<i>Pandalus</i>	Northern Prawn	Norwegian waters S of 62	NR		pm
<i>Pandalus</i>	Northern Prawn	Skagerrak and Kattegat	11620		pm
<i>Penaeus</i>	Penaeus shrimps	French Guyana	4108	0,0%	4108
<i>Pleuronectes</i>	Plaice	Ila (EC), North Sea (EC)	49000		pm
<i>Pleuronectes</i>	Plaice	Kattegat	2338		pm
<i>Pleuronectes</i>	Plaice	Skagerrak	9350		pm
<i>Pleuronectes</i>	Plaice	Vb(EC waters), VI, XII, XIV	786	-15,0%	668
<i>Pleuronectes</i>	Plaice	VIIa	1849	-22,7%	1430
<i>Pleuronectes</i>	Plaice	VIIbc	110	-15,0%	94
<i>Pleuronectes</i>	Plaice	VIIde	5050	-12,5%	4421
<i>Pleuronectes</i>	Plaice	VIIfg	491	-14,1%	422
<i>Pleuronectes</i>	Plaice	VIIhjk	303	-15,0%	258
<i>Pleuronectes</i>	Plaice	VIII,IX,X,CECAF 34.1.1	448	-15,0%	381
<i>Pollachius pollachius</i>	Pollack	IX,X,CECAF 34.1.1 (EC)	288	-14,9%	245
<i>Pollachius pollachius</i>	Pollack	Vb(EC), VI, XII, XIV	450	-14,9%	383
<i>Pollachius pollachius</i>	Pollack	VII	15300	-15,0%	13005
<i>Pollachius pollachius</i>	Pollack	VIIIabde	1680	0,0%	1680
<i>Pollachius pollachius</i>	Pollack	VIIIc	262	-14,9%	223
<i>Pollachius virens</i>	Saithe	Ila(EC), Skagerrak and Kattegat, IIIbcd, North Sea	135900		pm
<i>Pollachius virens</i>	Saithe	Norwegian waters S of 62	NR		pm
<i>Pollachius virens</i>	Saithe	Vb(EC) VI, XII, XIV	14100	0,0%	14100
<i>Pollachius virens</i>	Saithe	VII, VIII, IX, X, CECAF 34.1.1 (EC)	3790	-15,0%	3222
<i>Psetta</i>	Turbot and Brill	Ila (EC), North Sea (EC)	5263	-10,0%	4737
<i>Radjiformes-Rajidae</i>	Skate and ray	Ila, IV (EC)	1932	-15%	1643
<i>Reinhardtius</i>	Greenland Halibut	Ila(EC), IV, VI(EC)	NR		NR
<i>Scomber</i>	Mackerel	II(EC), Skagerrak and Kattegat, IIIbcd (EC), North Sea	385366		pm
<i>Scomber</i>	Mackerel	Ila(non EC), Vb (EC), VI, VII, VIIIabde, XII,XIV	385366		pm
<i>Scomber</i>	Mackerel	overall TAC	385366		pm
<i>Scomber</i>	Mackerel	VIIIc IX, X, CECAF 34.1.1 (EC Waters)	29611		pm
<i>Solea solea</i>	Common sole	Ila (EC), North Sea (EC)	12800	7,0%	13700
<i>Solea solea</i>	Common sole	IIIa, IIIbcd (EC)	940	-25,0%	705
<i>Solea solea</i>	Common sole	Vb(EC), VI, XII, XIV	68	-14,7%	58
<i>Solea solea</i>	Common sole	VIIa	669	-25,0%	502
<i>Solea solea</i>	Common sole	VIIbc	59	-15,3%	50
<i>Solea solea</i>	Common sole	VIIcd	6593	-20,0%	5274
<i>Solea solea</i>	Common sole	VIIe	765	-15,0%	650
<i>Solea solea</i>	Common sole	VIIfg	964	-2,5%	940
<i>Solea solea</i>	Common sole	VIIhjk	650	-14,9%	553
<i>Solea solea</i>	Common sole	VIIIab	4170	5,3%	4390
<i>Solea spp.</i>	Sole	VIIIcde,IX,X, CECAF 34.1.1 (EC)	1216	-15,0%	1034
<i>Sprattus</i>	Sprat	Ila (EC), North Sea (EC)	195000	-12,8%	170000

Species (Latin name)	Species (Common name)	ICES fishing zone	TACs 2008 final*	Difference with TACs 2008	Commission proposals for TACs 2009
<i>Sprattus</i>	Sprat	Skagerrak, Kattegat	<b>52000</b>		<b>pm</b>
<i>Sprattus</i>	Sprat	VIIde	<b>6144</b>	0,0%	<b>6144</b>
<i>Squalus</i>	Spurdog	EC waters of IIa, III and IV	<b>631</b>	-100,0%	<b>0</b>
<i>Squalus</i>	Spurdog	EC and int. Waters of I, V, VI, VII, VIII, XII, XIV	<b>2004</b>	-100,0%	<b>0</b>
<i>Trachurus</i>	Horse Mackerel	CECAF(Canaries)	<b>1280</b>	-15,0%	<b>1088</b>
<i>Trachurus</i>	Horse Mackerel	CECAF(Madeira)	<b>1280</b>	-15,0%	<b>1088</b>
<i>Trachurus</i>	Horse mackerel	IVb,IVc,VIIId	<b>39309</b>	-23,7%	<b>29980</b>
<i>Trachurus</i>	Horse Mackerel	EC waters of IIa, IVa, VI, VIIa-c, VIIe-k, VIII, Vb; int waters of XII, XIV	<b>170000</b>	5,9%	<b>180000</b>
<i>Trachurus</i>	Horse Mackerel	IX	<b>57750</b>	-38,7%	<b>35387</b>
<i>Trachurus</i>	Horse Mackerel	X, CECAF(Azores)	<b>3200</b>	-15,0%	<b>2720</b>
<i>Trisopterus</i>	Norway pout	IIa(EC) Skagerrak and Kattegat, North Sea (EC waters)	<b>NR</b>		<b>26250</b>
<i>Trisopterus</i>	Norway pout	IV(Norwegian waters)	<b>NR</b>		<b>pm</b>
	Combined quota	Vb, VI, VII (EC)	<b>140</b>		<b>pm</b>
	Other species	IIa, IV, VIa N (EC)	<b>NR</b>		<b>NR</b>
		<b>NR:</b> not relevant.			
		<b>pm:</b> stock subject to negotiation with third countries, or advice not yet available.			
*Council Regulation (EC) No 40/2008 of 16 January 2008.					